



NABL

**National Accreditation Board for
Testing and Calibration Laboratories**

Department of Science & Technology, India

CERTIFICATE OF ACCREDITATION

INDIAN INSTITUTE OF PACKAGING

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2005

"General Requirements for the Competence of Testing & Calibration Laboratories"

for its facilities at

E-2, M.I.D.C. Area, Chakala, Andheri (East), Mumbai

in the field of

CHEMICAL TESTING

(You may also visit NABL website www.nabl-india.org to view the scope of accreditation)


Certificate Number T-0687

Issue Date 04/06/2011

Valid Until 03/06/2013

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the additional requirements of NABL.

Signed for and on behalf of NABL



Rini Narayan
Convener



Anil Relia
Director



Dr. T. Ramasami
Chairman



रा.प्र.प्र.बो.

राष्ट्रीय परीक्षण और अंशशोधन
प्रयोगशाला प्रत्यायन बोर्ड
विज्ञान एवं प्रौद्योगिकी विभाग, भारत

प्रत्यायन प्रमाण-पत्र

भारतीय पैकेजिंग संस्थान

का मूल्यांकन और प्रत्यायन निम्न मानक के अनुसार

आई.एस.ओ./आई.ई.सी. 17025:2005

“परीक्षण एवं अंशशोधन प्रयोगशालाओं की सक्षमता की सामान्य अपेक्षाएँ”

मुम्बई

में स्थित इसकी सुविधाओं के लिए

रसायनिक परीक्षण

के क्षेत्र में किया गया।

प्रमाण-पत्र संख्या प-0687

जारी करने की तिथि 04/06/2011

वैधता की तिथि 03/06/2013

यह प्रमाण-पत्र उपर्युक्त मानक तथा राष्ट्रीय परीक्षण और अंशशोधन प्रयोगशाला प्रत्यायन बोर्ड की अतिरिक्त अपेक्षाओं का निरंतर संतोषप्रद अनुपालन किए जाने पर अनुबंध में निर्दिष्टानुसार प्रत्यायन के क्षेत्र के लिए वैध रहेगा।

रा.प्र.प्र.बो. की ओर से हस्ताक्षरित

रिनी नारायण

रिनी नारायण
संयोजक

अनिल रेलिया

अनिल रेलिया
निदेशक

डा. टी. रामसामी

डा. टी. रामसामी
अध्यक्ष



NABL

Department of Science & Technology, India

SCOPE OF ACCREDITATION

Laboratory	Indian Institute of Packaging, E-2, M.I.D.C. Area, Chakala, Andheri (East), Mumbai		
Accreditation Standard	ISO/IEC 17025: 2005		
Field	Chemical Testing	Issue Date	04.06.2011
Certificate Number	T-0687	Valid Until	03.06.2013
Last Amended on	-	Page	1 of 2

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
1.	PAPER, PAPERBOARD & CORRUGATED FIBRE BOARD	Ash Content	IS: 1060-1966 (RA-1992), Part 1, CL.11.	Upto 50%
		pH	IS: 1060-1966 (RA-1992), Part 1, CL.10.	1 to 14
		Moisture Content	IS: 1060-1966 (RA-1992), Part 1, CL.9.	Upto 20%
		Water Spray Test	IS: 10212 - 1985	Visual
		Cobb Test	IS : 1060-1966 (RA-1992), Part 1, CL.13.2.2. IS: 4006-1985, Part 2, CL.6	Upto 600 gsm
		Grammage	IS: 1060-1966 (RA-1992), Part 1, CL.6.2.1.	Upto 600 gsm
		Grammage	IS: 7063-1976 Part 4. CL.2.1.	Upto 600 gsm
2.	PLASTIC ALLIED MATERIALS	Migration Test (Overall)	IS 9845 - 1998	Upto 100 mg/ltr.
3.	TIN CONTAINERS	Tin Coating	IS: 1327-1988 (RA-2006), CL.3. Weight Loss Method	Upto 25 gsm
		Lacquer Curing Test	IS 9992-1981, CL.7.1.1. Appendix-A	Visual
		Salt Spray Test	ASTM B 117-2009	Visual
		Lacquer Continuity Test	IS 7182-1973 (RA 2001)	Visual

Rini Nayyan
Convenor



NABL

Department of Science & Technology, India

SCOPE OF ACCREDITATION

Laboratory	Indian Institute of Packaging, E-2, M.I.D.C. Area, Chakala, Andheri (East), Mumbai		
Accreditation Standard	ISO/IEC 17025: 2005		
Field	Chemical Testing	Issue Date	04.06.2011
Certificate Number	T-0687	Valid Until	03.06.2013
Last Amended on	-	Page	2 of 2

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
4.	PLASTIC FEEDING BOTTLE	Ageing Resistance	IS 14625 – 1999, CL.4.7.5	Visual
		Product Resistance of Printed Container	IS 2798 – 1998, CL.14 IS 10840 – 1994, CL.4.7.6.	Visual
		Permanency of Pigment	IS 14625 – 1999, CL.4.4.2. (Annex.-A)	Visual
		Capacity of Scale	IS 14625 – 1999, CL.4.4.2.	Upto 1 litre
5.	PLASTIC BOTTLE FOR MINERAL WATER	Potability Test	IS : 15410 – 2003, (RA 2009), CL.4.6.6	Visual
		Capacity	Method 5 of IS: 2798 – 1998 RA 2009	Upto 30 litre
		E.S.C.R	Method 1 of IS: 8747 – 1977, RA 2010	Visual
6.	BOPP TAPES	pH	IS : 13262 – 1992, CL.5.1.5.1 Annex A	1 to 14

-X-X-X-X-X-X-X-X-X-X-X-X-

Rini Naayon
Convenor



NABL

**National Accreditation Board for
Testing and Calibration Laboratories**
Department of Science & Technology, India

CERTIFICATE OF ACCREDITATION

INDIAN INSTITUTE OF PACKAGING

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2005

"General Requirements for the Competence of Testing & Calibration Laboratories"

for its facilities at

E-2, M.I.D.C. Area, Chakala, Andheri (East), Mumbai

in the field of

MECHANICAL TESTING

(You may also visit NABL website www.nabl-india.org to view the scope of accreditation)


Certificate Number T-0688

Issue Date 04/06/2011

Valid Until 03/06/2013

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the additional requirements of NABL.

Signed for and on behalf of NABL



Rini Narayan
Convenor



Anil Relia
Director



Dr. T. Ramasami
Chairman



रा.प्र.प्र.बो.

राष्ट्रीय परीक्षण और अंशशोधन
प्रयोगशाला प्रत्यायन बोर्ड
विज्ञान एवं प्रौद्योगिकी विभाग, भारत

प्रत्यायन प्रमाण-पत्र

भारतीय पैकेजिंग संस्थान

का मूल्यांकन और प्रत्यायन निम्न मानक के अनुसार

आई.एस.ओ./आई.ई.सी. 17025:2005

“परीक्षण एवं अंशशोधन प्रयोगशालाओं की सक्षमता की सामान्य अपेक्षाएँ”

मुम्बई

में स्थित इसकी सुविधाओं के लिए

यान्त्रिकी परीक्षण

के क्षेत्र में किया गया।

प्रमाण-पत्र संख्या प -0688

जारी करने की तिथि 04/06/2011

वैधता की तिथि 03/06/2013

यह प्रमाण-पत्र उपर्युक्त मानक तथा राष्ट्रीय परीक्षण और अंशशोधन प्रयोगशाला प्रत्यायन बोर्ड की अतिरिक्त अपेक्षाओं का निरंतर सतोषप्रद अनुपालन किए जाने पर अनुबंध में निर्दिष्टानुसार प्रत्यायन के क्षेत्र के लिए वैध रहेगा।

रा.प्र.प्र.बो. की ओर से हस्ताक्षरित

रिनी नारायण

रिनी नारायण
संयोजक

अनिल रेलिया

अनिल रेलिया
निदेशक

डा. टी. रामसामी

डा. टी. रामसामी
अध्यक्ष



NABL

Department of Science & Technology, India

SCOPE OF ACCREDITATION

Laboratory	Indian Institute of Packaging, E-2, M.I.D.C. Area, Chakala, Andheri (East), Mumbai		
Accreditation Standard	ISO/IEC 17025: 2005		
Field	Mechanical Testing	Issue Date	04.06.2011
Certificate Number	T-0688	Valid Until	03.06.2013
Last Amended on	-	Page	1 of 7

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
1.	PAPER, PAPER BOARD AND CORRUGATED FIBRE BOARD BOXES	Thickness	IS: 1060 – 1966 (RA 1992), Part 1, CL.7	Upto 1.0 mm
		Bulk	IS: 1060 – 1966 (RA 1992), Part 1, CL.8	Upto 200 / gm
		Bursting Strength	IS: 1060 – 1966 (RA 1992), Part 1, CL.12.5	Upto 56 kg/cm ²
		Bursting Factor	IS: 1060 – 1966 (RA 1992), Part 1, CL.12.5.4	N.A.
		Burst Index	IS: 1397 (RA 1995) CL.5.5 IS: 1060 (RA 1992) Part 1, CL.12.5	Upto 50 kpa ^m / g
		Ring Crush Test	IS: 4006 – 1985, Part 1, CL.11	Upto 100 kgf
		Folding Endurance	IS: 1060 – 1966 (RA 1992) Part 1, CL.12.6	Upto 10000 No.
		Breaking Length	IS: 1060 – 1966 (RA 1992) Part 1, CL.12.4	Upto 7000 M
		Tensile Strength & Elongation	IS: 1060 – 1966 (RA 1992) Part 1, CL.12.3	Upto 5000 kg 0.01 to 1000%
		Tensile Index	IS: 1397 (RA 1995) CL.5.5 IS: 1060 – 1966 (RA 1992) Part 1, CL.12.4	Upto 50 Nm/g
		Tear Index	IS: 1397 (RA 1995) CL.5.5 IS: 1060 – 1966 (RA 1992) Part 1, CL.12.7	Upto 50 mNm ² /g

Convenor



NABL

Department of Science & Technology, India

SCOPE OF ACCREDITATION

Laboratory	Indian Institute of Packaging, E-2, M.I.D.C. Area, Chakala, Andheri (East), Mumbai		
Accreditation Standard	ISO/IEC 17025: 2005		
Field	Mechanical Testing	Issue Date	04.06.2011
Certificate Number	T-0688	Valid Until	03.06.2013
Last Amended on	-	Page	2 of 7

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Edge Crush Test	IS: 7063 – 1976 (RA 1992) Part 2, CL.1.1	Upto 200 kgf
		Blocking Resistance	IS: 4006 – 1985, Part 1, CL.10	Visual
		Flat Crush Test	TAPPI T808-OM-01	Upto 200 Kgf
		Tear Strength	IS: 1060 – 1966, Part 1, CL.12.7	Upto 1600 gmf
		Tear Factor	IS: 1060 – 1966, Part 1, CL.12.7.5	N.A
		Smoothness	IS: 9894 – 1998, CL. 3.0	Upto 3000 ml/min
		Porosity	IS: 11080, RA 2008	Upto 3000 ml
		Abrasion Loss (Scuff Proofness)	IS: 4006 – 1985, Part 1, CL.9	Upto 1000 Resolutions
		Wax Pick Up Number	IS: 1060 – 1969, Part 3, CL.8	2A to 26A
2.	CORRUGATED FIBRE BOARD BOXES AND WOODEN	No. of Ply	IS: 2771-1990	Upto 1000 mm
		Internal External Dimension	IS: 2771-1990, Part 1, RA 2002	Upto 1000 mm
		Combined Internal Dimension	IS: 2771 – 1990, Part 1	Upto 1000 mm
		Style of Box	IS: 6481-1971	Visual
		Type of Flute	IS: 2771 – 1990, Part 1,(RA 2002)	Visual
		Compression Strength	IS: 7028 – 1987, Part 6, CL. 6	Upto 5000 kgf
		Vibration Test	IS: 7028 – 1988 Part 2	Visual

Rini Narayan
Convenor



NABL

Department of Science & Technology, India

SCOPE OF ACCREDITATION

Laboratory	Indian Institute of Packaging, E-2, M.I.D.C. Area, Chakala, Andheri (East), Mumbai		
Accreditation Standard	ISO/IEC 17025: 2005		
Field	Mechanical Testing	Issue Date	04.06.2011
Certificate Number	T-0688	Valid Until	03.06.2013
Last Amended on	-	Page	3 of 7

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Inclines Impact Tester	IS: 7028 – 1987 Part 3	Visual
		Rolling Test	IS: 7028 – 1987 Part 5	Visual
		Drop Test	IS: 7028 – 1987 Part 4	Visual
		Stack Load Test	IS: 7028 – 1973 Part 1	Visual
3.	PLASTIC & ALLIED MATERIALS	Thickness	IS: 2508 – 1984, Appendix –A2 (RA 2008) CL 4.2	Upto -1 mm
		Heat Seal Strength	ASTM F-88-06	Upto 100 kg
		Melt Flow Index	ASTM D 1238-04 C	Upto 100 gm / 10 min
		Modulus Of Elasticity	ASTM D 882-2002	Upto 5000 kgf/cm ²
		Tensile Strength (Breaking Load)	IS: 2508 – 1984, RA 2008 Appendix - 4	Upto 5000 Kg
		Elongation at Break	IS: 2508 – 1984, RA 2008 Appendix - 4	Upto 1000 %
		Dart Impact Test	IS: 2508 – 1984 (RA 1991),CL.4.7	Upto 1000 gm
		Water Vapour Transmission Rate	ASTM E - 398 – 2003	Above 0.01 g/m ² /24 hrs
		Gas (O ₂) Permeability	ASTM D 1434 (Reapproved 2003)	0.3 to 10,000 ml/m ² / 24 hours
		Co-Efficient of Friction (Static)	ASTM D 1894-2006	Upto 10 N
		Co-Efficient of Friction (Dynamic)	ASTM D 1894-2006	Upto 10 N

Rini Naayam
Convenor



NABL

Department of Science & Technology, India

SCOPE OF ACCREDITATION

Laboratory	Indian Institute of Packaging, E-2, M.I.D.C. Area, Chakala, Andheri (East), Mumbai		
Accreditation Standard	ISO/IEC 17025: 2005		
Field	Mechanical Testing	Issue Date	04.06.2011
Certificate Number	T-0688	Valid Until	03.06.2013
Last Amended on	-	Page	4 of 7

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Water Vapour Transmission Rate	ASTM F 1249-2006	Above 0.01 g/m ² /24 hrs
4.	BLOW MOULDED PLASTICS CONTAINERS	Thickness	IS: 2798 – 1998 (RA 2003), CL.4.5	1 – 25 mm
		Handle Strength	IS: 6312 – 1994 (RA 2010), CL.8.7	Visual
		Leak-Proofness Test (By Air Pressure)	IMDG - CODE 2001 Vol.1 (Part 6) CL. 6.1.5.4.	Upto 100 Kpa
		Hydrostatic Pressure Test	IS: 6312 - 1994 (RA 2010) CL. 8.6.1 & 2	Upto 100 Kpa
		Ink Adhesion of Printed Containers	IS: 10840 – 1994, CL. 4.7.5	Visual
		Brimful Capacity	IS: 6312 -1994, CL.6 (RA 2010)	Upto 50 ltr
		Closure Leakage Test (Keeping on Floor)	IS: 6312 – 1994, CL. 8.3 Annexure- D	Visual
		E.S.C.R.	IS: 8747 – 1977, CL.5 (Method I) IS: 6312-1994, CL. 8.9, Annx. K	Visual
		Closure Leakage Test (Keeping on Floor)	IS: 2798 – 1998, CL. 6.1, 6.2 & 6.3 IS: 7959 – 1987, CL. 10.1.1 (Annex A)	Visual
		Drop Test	IS: 6312 –1994, CL.8.4.1	Upto 1.8 mtr.

Rini Nayyan
Convenor



NABL

Department of Science & Technology, India

SCOPE OF ACCREDITATION

Laboratory	Indian Institute of Packaging, E-2, M.I.D.C. Area, Chakala, Andheri (East), Mumbai		
Accreditation Standard	ISO/IEC 17025: 2005		
Field	Mechanical Testing	Issue Date	04.06.2011
Certificate Number	T-0688	Valid Until	03.06.2013
Last Amended on	-	Page	5 of 7

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
5.	HDPE BAGS	Denier	IS: 6193 - 1971/ IS: 7703 Part 1: 1990, RA 2007	Upto 5000 denier
		Breaking Load	IS: 1969 - 1985	Upto 2500 kg
		Mesh	IS: 1963 - 1981	Upto 300 mm
		Seam Strength	IS: 9030 - 1979, RA 2008	Upto 500 kg
		No. of Stitches of Seam	IS: 11652 - 2000, CL.6 Annexure - A	9 - 15/dm
		Dimension	IS: 11652 - 2000, CL.6 Annexure-A	Upto 3000 mm
6.	TIN CONTAINERS	Handle Pull Test	IS: 2471-1963	Upto 100 kg
		Dimension	IS: 9992 - 1991, CL.4.1 IS: 10325 - 2000, CL.4.3.1 IS: 10339 - 2000, CL.4.1.1	Upto 1000 mm
		Leakage Test (Air Pressure)	IS: 2471-1963, Method 4	Visual
		Hydraulic Pressure Test	IS: 2471-1963	Visual
7.	PLASTIC CAPS & CLOSURES	Compressibility For Cork Composition Sheet	IS: 4253 - 1980 (Part 1) (RA 1999)	Upto 1000 gmf
		Recovery of Cork For Composition Sheet	IS: 4253 - 1980 (part 1) (RA 1999)	Upto 100%
		Torque Test	ASTM D 3198 - 2002	Upto 10 Nm

Rini Naayam
Convenor



NABL

Department of Science & Technology, India

SCOPE OF ACCREDITATION

Laboratory	Indian Institute of Packaging, E-2, M.I.D.C. Area, Chakala, Andheri (East), Mumbai		
Accreditation Standard	ISO/IEC 17025: 2005		
Field	Mechanical Testing	Issue Date	04.06.2011
Certificate Number	T-0688	Valid Until	03.06.2013
Last Amended on	-	Page	7 of 7

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
11.	WOODEN PALLET / PLASTIC PALLET	Bending Test	IS: 6219 – 1989, CL.8.2	Upto 15 Tonnes
		Drop Test	IS: 6219 – 1989, CL.9.2	Visual
		Stacking Test	IS: 6219 – 1989, CL.8.1	Visual

-X-X-X-X-X-X-X-X-X-X-X-

Rini Narayan
Convenor



NABL

**National Accreditation Board for
Testing and Calibration Laboratories**

Department of Science & Technology, India

CERTIFICATE OF ACCREDITATION

INDIAN INSTITUTE OF PACKAGING

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2005

"General Requirements for the Competence of Testing & Calibration Laboratories"

for its facilities at

E-2, M.I.D.C. Area, Chakala, Andheri (East), Mumbai

in the field of

PHOTOMETRY TESTING

(You may also visit NABL website www.nabl-india.org to view the scope of accreditation)


Certificate Number T-1221

Issue Date 04/06/2011

Valid Until 03/06/2013

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the additional requirements of NABL.

Signed for and on behalf of NABL



Rini Narayan
Convenor



Anil Relia
Director



Dr T. Ramasami
Chairman



रा.प्र.प्र.बो.

राष्ट्रीय परीक्षण और अंशशोधन
प्रयोगशाला प्रत्यायन बोर्ड
विज्ञान एवं प्रौद्योगिकी विभाग, भारत

प्रत्यायन प्रमाण-पत्र

भारतीय पैकेजिंग संस्थान

का मूल्यांकन और प्रत्यायन निम्न मानक के अनुसार

आई.एस.ओ./आई.ई.सी. 17025:2005

“परीक्षण एवं अंशशोधन प्रयोगशालाओं की सक्षमता की सामान्य अपेक्षाएँ”

मुम्बई

में स्थित इसकी सुविधाओं के लिए

फोटोमेट्री परीक्षण

के क्षेत्र में किया गया।

प्रमाण-पत्र संख्या प-1221

जारी करने की तिथि 04/06/2011

वैधता की तिथि 03/06/2013

यह प्रमाण-पत्र उपर्युक्त मानक तथा राष्ट्रीय परीक्षण और अंशशोधन प्रयोगशाला प्रत्यायन बोर्ड की अतिरिक्त अपेक्षाओं का निरंतर संतोषप्रद अनुपालन किए जाने पर अनुबंध में निर्दिष्टानुसार प्रत्यायन के क्षेत्र के लिए वैध रहेगा।

रा.प्र.प्र.बो. की ओर से हस्ताक्षरित

रिनी नारायण

रिनी नारायण
संयोजक

अनिल रेलिया

अनिल रेलिया
निदेशक

डा. टी. रामसामी

डा. टी. रामसामी
अध्यक्ष



NABL

Department of Science & Technology, India

SCOPE OF ACCREDITATION

Laboratory	Indian Institute of Packaging, E-2, M.I.D.C. Area, Chakala, Andheri (East), Mumbai		
Accreditation Standard	ISO/IEC 17025: 2005		
Field	Photometry Testing	Issue Date	04.06.2011
Certificate Number	T-1221	Valid Until	03.06.2013
Last Amended on	-	Page	1 of 1

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
1.	PAPER & PAPER BOARD	Gloss	IS: 1060-Part-I-1966 & ASTM D 2457-03	Upto 100 %
		Brightness	TAPPI – 452m-02	Upto 100 %
		Diffuse Opacity (Paper Backing)	TAPI-T-519 mm-02	Upto 100 %
2.	PLASTIC FILMS & LAMINATES	Gloss	ASTM D – 2457-03	Upto 100 %
		Haze	ASTM D – 1003	Upto 100 %

-X-X-X-X-X-X-X-X-X-X-X-

Rini Narayan
Convenor