



भारतीय पैकेजिंग संस्थान
Indian Institute of Packaging

An autonomous body under the Ministry of Commerce & Industry, Govt. of India

CORRIGENDUM / ADDENDUM - 2

IIP/B&A/GeM/2025

26-12-2025

Subject : Procurement of R&D, Laboratory Testing Equipment – reg.

It has been directed to issue this 2nd Corrigendum/Addendum to clarify, amend, and modify certain provisions of the bidding documents for the procurement of R&D and Laboratory Testing Equipment. This Second Corrigendum/ Addendum shall form an integral part of the original tender documents and must be duly acknowledged by all prospective bidders.

| S.No. | Name of Equipment | Reference Bid No. | Bid Start Date | UPDATED Bid End Date |
|-------|---|--------------------|----------------|----------------------|
| 1 | Blown Film Unit with Single Screw Extruder Attachment | GEM/2025/B/6960833 | 05-12-2025 | 12-01-2026 |
| 2 | CHNS Analyzer | GEM/2025/B/6969279 | 05-12-2025 | 12-01-2026 |
| 3 | Chromameter | GEM/2025/B/6971333 | 05-12-2025 | 12-01-2026 |
| 4 | Dynamic Mechanical Analyzer (DMA) | GEM/2025/B/6973039 | 06-12-2025 | 12-01-2026 |
| 5 | E-Nose | GEM/2025/B/6973169 | 06-12-2025 | 12-01-2026 |
| 6 | Scanning Electron Microscopy (SEM) | GEM/2025/B/6973278 | 06-12-2025 | 12-01-2026 |
| 7 | Lyophilizer | GEM/2025/B/6973453 | 06-12-2025 | 12-01-2026 |
| 8 | X-Ray Diffraction Analyzer (XRD) | GEM/2025/B/6973534 | 08-12-2025 | 12-01-2026 |
| 9 | Zeta Potential | GEM/2025/B/6973629 | 08-12-2025 | 12-01-2026 |
| 10 | Twin-screw Extruder | GEM/2025/B/6973415 | 09-12-2025 | 12-01-2026 |

Modifications / Amendments

1. Point No.5, 6, 7, 8, 26 & 59 of Terms & Conditions has been revised.
2. Form - III - Specification of the equipment has been revised.
3. Form - IV - Technical Compliance Sheet has been revised.
4. Form - V - Declaration of Local Content has been revised.
5. Form - IX - Schedule of Requirements has been revised.
6. Form "A" - Financial Bid has been revised.

The updated ATC document with the above revisions is attached herewith as **Annexure "AAA"**.

All bidders are hereby advised to incorporate these changes into their bids. Failure to comply with this Corrigendum(s)/ Addendum(s) may result in the rejection of the bid.

This issues as per the direction of the competent authority.


Ashok Kumar, GeM Officer